

Supplementary Table 1. Means of the domains and total scores, ANOVAs, and significant pairwise comparisons (LSD test)

OBS-SR domains	Normal (n) (N=33)	MDD (d) (N=25)	OCD (o) (N=86)	F	Significant pairwise comparisons*
CAE	3.64±3.33	4.88±4.01	8.81±5.19	17.84	o>n, d
D	2.94±2.42	4.404±3.34	8.03±3.46	34.48	o>n, d
H	7.36±6.14	14.32±8.03	23.93±11.61	35.04	o>d>n
AT	1.91±1.83	2.92±1.78	4.50±2.52	17.18	o>n, d
P	2.55±2.53	3.84±3.70	6.78±4.09	17.78	o>n, d
RA	0.67±0.89	1.72±2.41	5.52±3.59	35.52	o>n, d
ST	3.42±4.54	10.60±9.65	17.16±12.72	19.72	o>d>n
Total	22.48±18.30	42.68±27.85	74.74±37.49	33.88	o>n>d
SHY-SR domains	Normal (n) (N=32)	MDD (d) (N=27)	SAD (s) (N=52)	F	Significant pairwise comparisons*
CA	0.72±1.17	4.07±3.40	5.83±3.89	25.10	s>d>n
IPS	5.84±5.09	14.11±7.71	20.00±5.72	53.41	s>d>n
BI	4.00±3.12	8.81±5.64	12.90±4.95	35.91	s>d>n
SP	8.72±10.40	25.63±20.14	53.58±23.30	54.88	s>d>n
Total	19.28±16.96	52.63±33.73	92.31±33.94	60.25	s>d>n

* $p < 0.05$. OBS-SR, Obsessive–Compulsive Spectrum Self-Report; ANOVA, analysis of variance; MDD, major depressive disorder; OCD, obsessive–compulsive disorder; SAD, social anxiety disorder; CAE, childhood/adolescent experience; D, doubt; H, hypercontrol; AT, attitude toward time; P, perfectionism; RA, repetition/automation; ST, specific themes; SHY-SR, Social Anxiety Spectrum Self-Report; CA, childhood and adolescence social anxiety features; IPS, interpersonal sensitivity; BI, behavioral inhibition and somatic symptoms; SP, specific phobia