

Supplementary Table 6. Pearson's correlation analyses among continuous variables in healthy controls

Continuous variables	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Age (1)	-													
ETISR-SF														
Total sum of all subtypes (2)	-0.032	-												
General (3)	0.133	0.617***	-											
Physical (4)	-0.073	0.795***	0.245**	-										
Emotional (5)	-0.092	0.673***	0.216**	0.270***	-									
Sexual (6)	-0.015	0.447***	0.196*	0.231**	0.261**	-								
Coping strategies														
Problem-focused (7)	-0.019	-0.069	-0.053	-0.047	-0.031	-0.076	-							
Emotion-focused (8)	-0.120	0.010	0.004	0.024	0.023	-0.081	0.424***	-						
APPQ														
Total sum of all subtypes (9)	0.038	-0.025	-0.139	-0.090	0.162	0.065	0.144	0.352***	-					
Agoraphobia (10)	0.120	-0.080	-0.070	-0.203*	0.131	0.057	0.135	0.268**	0.893***	-				
Social phobia (11)	-0.015	0.020	-0.170*	0.015	0.163*	0.050	0.066	0.361***	0.893***	0.670***	-			
Interoceptive fear (12)	0.002	-0.018	-0.114	-0.070	0.124	0.069	0.196*	0.243**	0.841***	0.698***	0.601***	-		
PDSS total scores (13)	0.060	0.225**	0.159	0.087	0.264**	0.071	0.021	0.103	0.163*	0.099	0.263**	0.017	-	
SSI total scores (14)	-0.044	0.278**	0.156	0.041	0.429***	0.183*	-0.055	0.199*	0.223*	0.197*	0.246**	0.120	0.214*	-

*p<0.05; **p<0.01; ***p<0.001. ETISR-SF, Early Trauma Inventory Self-Report-Short Form; APPQ, Albany Panic and Phobia Questionnaire; PDSS, Panic Disorder Symptom Severity; SSI, Scale for Suicidal Ideation