Supplementary Table 5. Supplementary moderated mediation analyses using the MLQ subscales

Effect	B	SE	t	p
Presence of meaning				
Path				
Loneliness → Depression	0.182	0.016	11.120	<0.001
Interaction → Depression	-0.008	0.002	-3.885	<0.001
Search for meaning				
Path				
Loneliness → Depression	0.207	0.016	13.031	<0.001
Interaction → Depression	-0.009	0.002	-3.638	<0.001
Indirect effect	B	Boot SE	Boot 95% CI	
Presence of meaning				
Presence low (-1 SD)	0.012	0.003	0.006 to 0.019	
Presence high (+1 SD)	0.007	0.002	0.003 to 0.012	
Index of moderated mediation	-0.0004	0.0002	-0.0008 to -0.0001	
Search for meaning				
Search low (-1 SD)	0.013	0.004	0.006 to 0.020	
Search high (+1 SD)	0.009	0.003	0.004 to 0.014	
Index of moderated mediation	-0.0004	0.0002	-0.0008 to -0.0001	

Bootstrap sample size=5,000. Loneliness and each MLQ subscale were mean-centered in the respective models. Indirect effects represent the conditional effect of loneliness on subjective memory complaints through depressive symptoms at low (-1 SD) and high (+1 SD) levels of each MLQ subscale. MLQ, Meaning in Life Questionnaire; SE, standard error; Boot, bootstrap; CI, confidence interval; SD, standard deviation.